ID Badge Inc. - **ID** Access Solutions



125 kHz How to Order Guide - D00530, A.6

1386 / 1586 - ISOProx[®] II Card Ordering Form

Please ensure each required option has been checked with the appropriate choice to fulfill a completed order form.

Base Model	1386 Stand	lard PVC		1586 Co	omposite	40% Polye	ster / PVC *	
Programming (Check ☐ L - Programmed, Low Fre ☐ C - Programmed, Low Fre ☐ N - Non-Programmed, Low	quency (125 kHz). quency (125 kHz)	Casi Rusco ⁶ .	. (Identified o	n Ink jet Ma			ramming Information.	`
Front Packaging (Check One) G - Plain White PVC w/ Gloss Finish C - Custom Artwork w/ Gloss Finish – Specify Custom Artwork Number¹						2.125" (5.4cm)	Front Packaging	
Back Packaging (Check One) ☐ G - Plain White PVC w/ Gloss Finish² ☐ S - Standard ISOProx II Artwork Gloss Finish² ☐ C - Custom Artwork w/ Gloss Finish – Specify Custom Artwork Number¹,² Card Numbering (Check One)						0.033" (0.084 cm)	3.370" (8.57 cm)	<i>)</i> ►
M - Sequential Matching Internal/External (Inkjetted) N - No External Card Numbering S - Sequential Internal/Sequential Non-Matching External (Inkjetted) R - Random Internal/Non-Matching Sequential External (Inkjetted) A - Sequential Matching Internal/External (Engraved) ⁵ B - Sequential Internal/Sequential Non-Matching External (Engraved) ⁵ C - Random Internal/Non-Matching Sequential External (Engraved) ⁵							Back Packaging HID CORPORATION ISOProx® II	
Slot Punch⁴ (Check One) N - No Slot Punch (Printed location of vertical and horizontal slot punch will remain) V - Vertical Slot Punch (Printed location of horizontal slot punch will remain) H - Horizontal Slot Punch (Printed location of vertical slot punch will remain)					in)	12345 = Card ID Number YYYYYYYY-YY = Sales Order Number		
Option - Custom Artw		ork Number	r – Refer to	the Custor	m Artwor	rk Forms fo	or new Artwork)	_
Please enter your final card options from check boxes above. Exa					e. Exan	mple: 1386LGGMN (Options #)		
		<u> </u>	<u> </u>				(optiono ii)	_
	1	25 kHz Car	d Program	ming Info	rmation			
,		mple: 26 bit)		Format Number		(example: H10301)		
Facility Code		0:4.0.	J.			_		
(Custom Formats) Site Code Internal Card No. Start				OEM Code				
External Card No. Start								
Special Instructions:		- 1-						

- ¹ For new artwork files, contact Customer Service for custom artwork number, lead-times, and cost.
- ² Cards ordered with plain white front and back packaging, with no HID artwork or with custom artwork, will still have a small "HID logo" "IID" and reference number printed in the lower left-hand corner and a slot punch target printed on the back of the card.
- ³ The external card number is placed in the bottom right-hand corner on the back of the card.
- ⁴ Cards are provided with an optional slot punch at no additional charge. Some video imaging printers cannot accommodate pre-slot punched cards. Please consult with the printer manufacturer prior to ordering.
- ⁵ For Laser Engraved external numbers, consult factory for lead times and cost.
- ⁶ Programmed as a sequential 12 digit number.
- * The composite construction is recommended for all cards that will have an over-laminate applied.